




AST BEARING OF AMERICA CORP.



200 mm x 310 mm x 51 mm NSK 6040 deep groove ball bearings

Bearing No. 6040

6040 Bearing 2D drawings and 3D CAD models

Size	200x310x51 mm
Bore Diameter	200 mm
Outer Diameter	310 mm
Width	51 mm
d	200 mm
D	310 mm
B	51 mm
C	51 mm
r min.	2,1 mm
da min.	220 mm
Da max.	293 mm
ra max.	2 mm
Weight	12 Kg
Basic dynamic load rating (C)	207 kN
Basic static load rating (C0)	226 kN
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	12.5
EAN	0029176414480
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling	No



AST BEARING OF AMERICA CORP.

Slot	
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	200MM Bore; 310MM Outside Diameter; 51MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Other Features	Deep Groove
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.nskamericas.com
Weight / LBS	26.46
Inner Race Width	0 Inch 0 Millimeter
Outside Diameter	12.205 Inch 310 Millimeter
Outer Race Width	2.008 Inch 51 Millimeter
Bore	7.874 Inch 200 Millimeter
SRI	17.25
hidYobi	6040
LangID	1
D_	310
SREX	0.065
B_	51



AST BEARING OF AMERICA CORP.

da min	211
hidTable	ecat_NS RDGB
Oil rpm	2200
SRE	17.25
da max	231.5
mass	12
GRS rpm	1900
ra	2
SRIX	0.065
D_a	299
SRIN	-0.065
C0	226
fo	15.6
SREN	-0.065
DE_	288.338
Prod_Type3	DGBB_SR_OT
DA_	33.338
bomp	0
Z_	13
yobi	6040
C_conv	207000
ALPHA_	0
SDM_	255
r	2.1
KBRG	6101
SBRG	10
DI_	221.662